

habitat
height adjustable glass windscreen system

WIN



Personalize your environment
and enjoy a great comfort

 **SystemS**[®]
the open view company



habitat-win is a height adjustable glass windscreen that allow you to enjoy outdoor spaces with friends and family from the beginning of the spring until late autumn. Habitat Win offers the possibility of having an open terrace when the weather is nice and sunny, and at the same time it offers protection against the wind by lifting an adjustable glass panel for continuing enjoying outdoor spaces.

Glass adjustable windscreen habitat-win is designed to be flexible and easily used, as the upper panel can be manually moved, making it a perfect solution for restaurant terraces. Customers can also adjust the height of the windscreen depending on if they want an intimate setting or to enjoy the outdoor environment.



Made from aluminum, standard model is equipped with a 3+3 mm safety laminated glass or 6 mm tempered glass, on both lower fixed panel and adjustable upper panel. There are a variety of different supports and union kits available, made of stainless steel, depending on the configuration of the system.

Product
Approved & Certified



SUPPORTS



SIMPLE REINFORCED SUPPORT:
Height adjustable floor fastening support.



DOUBLE REINFORCED SUPPORT:
Height adjustable floor fastening support for connecting modules.



SHORT BASE SUPPORT:
Short height adjustable floor fastening support.



SHORT DOUBLE REINFORCED SUPPORT:
Double short height adjustable floor fastening support for connecting modules.



FOREHEAD SUPPORT:
Front height adjustable support.



DOUBLE FOREHEAD SUPPORT:
Front height adjustable support.



BEARING SUPPORT:
Height adjustable bearing support with brakes on each wheel for places where fastening is not possible.



CONEXIONES Y CERRADURAS



LINEAR CONNECTION:
External connection plate for straight line module connection.



DECORATIVE PROFILE:
Decorative profile for 90° angle.



WALL CONNECTION:
Screen to wall connection plate.



LOCK:
Locking system that allow you to block the adjustable panel at the desired height.

TECHNICAL SPECIFICATIONS

WIDTH	Maximum 2000 mm per module	
HEIGHT	4 standard measures A (closed / lower section) B (opened / upper section)	
	<ul style="list-style-type: none"> • 950 / 1600 (42 Kg/ml) • 1150 / 2000 (52 Kg/ml) 	<ul style="list-style-type: none"> • 1350 / 2200 (56 Kg/ml) • 1550 / 2400 (60 Kg/ml)
THICKNESS	90 mm	
GLASS	3 + 3mm laminated glass or 6mm tempered glass in the lower and upper section. Glass can be personalized with extra clear glass, matt finished glass or other types of glasses.	
FINISHES	Standard finishes: 9006 nature gray and white. Available in all RAL and anodized colors.	
INSTALLATION	Different supports, connectors and 90° angle options available. All the accesories are made of stainless steel.	
OPTIONS	Panel stoppage at any height. Key Lock for lowered / raised position. Ask for more possibilities.	

NEW COMPLEMENT FOR HEIGHT ADJUSTABLE GLASS WINDSCREEN

New


Refurbish you terrace with a new pot support for your windscreen.



Option windscreen + fixed pot support.



Option windscreen + bearing pot support.



NEW ADJUSTABLE GLASS WINDSCREEN SYSTEM

New

New measure for height adjustable glass windscreen 1550 / 2400 mm, perfect for covering open spaces such as pergolas, restaurants and similar open spaces.



TESTS AND CERTIFICATES

Height adjustable glass windscreen **habitat-win** is fully manufactured in SPAIN. All the components are designed and manufactured by C3 Systems S.L. This product has been tested for wind resistance watertightness according to the regulations required.

Warning: tests carried out on this product only apply to windscreen models bolted to the ground. No tests have been carried out on windscreen with wheels.




habitat-win product has a **CE mark**, as we endorse the production properly sealed and signed.



Windscreen **habitat-win** fulfills international requirements for aluminum powder coating **Qualanod, Qualideco and Qualicoat**.



APLICACIONES



- 1 Height adjustable according to the need.
- 2 Mobile system option, easily removed when needed.
- 3 Wind and harsh weather conditions protection.
- 4 Adjustable to customer's needs.
- 5 Adaptable to any restaurants, coffee shops, terraces,....
- 6 Do not sacrifice views in order to protect yourself against harsh weather conditions.

MADE IN SPAIN



C3 Systems, S.L. · Juan de Herrera, 34 · Elche Parque Industrial · 03203 Elche (Alicante) España · Telf. +34 966 286 186 · Fax: +34 965 682 677
c3systems@c3systems.es · www.c3systems.es · www.seeglass.es



The purpose of this document is for commercial purpose. It does not constitute an authentic advertising offer in "strict sense". For the official offer, please contact C3 SystemS S.L. in order to receive specific and personalized information that contains objective information regarding relevant characteristics which means that it will constitute an offer in a "strict sense".

C3 SystemS commits not to make misleading advertising by this means. To these effects, therefore, formal or numerical errors that could be found in the content of this document are not considered as misleading advertising, in particular regarding to the image accompanying in an illustrative way, and not contractual. In any case C3 SystemS S.L. commits to correct it as soon as it becomes aware of such errors.