


seesky neo[®]

Manual pergola

The essential bioclimatic

*Well-designed
simplicity*





A new way of enjoying the outdoors.

Over the years, bioclimatic design has evolved to incorporate automation, technology and personalisation. Today, we are taking a different approach. We are using innovation to simplify. We are reducing complexity without compromising on design, comfort or quality. This is how Seesky NEO came about. A solution designed to broaden access to bioclimatic design and transform any outdoor space into a place meant to be lived in. Because true luxury isn't always about adding more. Sometimes it's about sticking to the essentials.

The adjustable slats allow you to control light, shade and ventilation in a simple and intuitive way, creating more comfortable environments throughout the day and all year round. Its optimised structure, standard configurations and high-quality manufacturing make Seesky NEO a straight forward, accessible solution, designed to let you enjoy the outdoors without any hassle. A pergola designed to meet people's real needs and the new ways of living at home.

seesky neo®



Outdoor Habitability by C3 Systems

We transform outdoor spaces into places designed to be enjoyed.



INDEX

Sun protection	pag. 4-5
Technical details	pag. 6-9
Possible configurations	pag. 10
Options Vertical decorative pillar 	pag. 11
Versatility Who is Seesky NEO designed for?	pag. 12-13
Finishes	pag. 14
Certifications	pag. 15

Natural control. Designed for outdoor living.



True outdoor liveability does not depend solely on technology. It stems from the ability to adapt each space to the conditions of its surroundings so that it can be enjoyed in comfort all year round.

Seesky NEO has been designed with this philosophy in mind. Its adjustable slats allow you to easily regulate light, ventilation and sun protection, creating more comfortable environments tailored to every moment of the day.

The integrated water management system channels rainwater through the structure itself, keeping the space protected and ready for you to continue enjoying the outdoors even when weather conditions change.

The orientation of the slats promotes ventilation and helps to improve thermal comfort naturally, creating a pleasant sense of well-being all year round.

Every movement transforms the space. Every adjustment responds to a real need.

Because living outdoors means enjoying more time, greater comfort and a better quality of life in the open air.



Built to endure. Designed to be enjoyed.

Every detail of Seesky NEO has been designed to deliver maximum performance with minimum complexity. A sun protection system that combines simplicity, accessibility and efficiency in a product designed for any outdoor space.

Because when a design is well thought out, every element fulfils its function naturally and effortlessly, without compromising on quality. These are the advantages that set it apart.



SEESKY NEO ADVANTAGES



Smart sun protection



Efficient water management



Natural ventilation



Outdoor durability



Minimal maintenance



Intuitive to use




Strength lies in the details




Aluminium structure

The Seesky NEO's structure is made from high-quality extruded aluminium. The result is a clean, elegant finish, designed to withstand outdoor conditions over time.



Gutter

Seesky NEO features a gutter integrated into the beam, designed to ensure optimal rainwater drainage. Its design ensures efficient drainage towards the columns, protecting the structure and the covered area at all times.



Floor supports

Seesky NEO floor fixings provide a solid and stable anchoring for any type of installation, allowing them to adapt to the ground whilst ensuring the structural safety of the entire assembly.




Intelligence applied to simplicity

In Seesky NEO, every component fulfils a specific function. No unnecessary parts. No added complexity.

Its optimised structure, manual orientation system and the integration of technical components combine to offer a robust, efficient and durable solution.

Because innovation also means simplification.



Crank kit + cardan joint: Tested to +4,000 open/close cycles




Technical specifications of the structure

TECHNICAL DETAILS MANUAL PERGOLA	
Maximum structure width	3500 mm
Maximum structure length*	4000 mm
Maximum structure height	2500 mm


*Multi-module configuration: Unlimited length

Sections


① PILLAR




② BEAM




③ CRANK KIT + CARDAN JOINT




④ SLAT




A FLOOR SUPPORTS





Your space is key. Seesky NEO adapts


Seesky NEO is available in four standard configurations covering the most common installation scenarios: freestanding, wall-mounted, between walls and multi-module. Each has been designed to ensure structural strength, ease of installation and a clean, consistent finish in any outdoor setting. Here are some examples of configurations optimised to suit the most common projects:




Island configuration



Wall-mounted configuration



Between walls configuration



Multi-module configuration

VDP. Design that defines spaces

The vertical decorative pillars allow you to customise the look of Seesky NEO, adding visual interest, privacy and a distinctive architectural identity. An element capable of transforming a pergola into a project with its own character.

Configurations



Flush exterior



Outstanding exterior

Best-sellers



¹⁾All colours are also available in a matt finish.



Who is Seesky NEO designed for?



1



2

1 A second home or country house where effective shade, easy installation and low-maintenance care throughout the year are required.

2 The hospitality sector and public spaces such as beach bars, bar terraces and restaurants, where durability and ease of use are priorities.



3



4

3 Residents' associations looking to protect outdoor communal areas with a standard, easy-to-manage, high-quality solution.

4 For any outdoor space requiring high-quality sun protection without the need for automation or integration with other systems.

Seesky NEO vs Seesky BIO

	seesky neo	seesky bio
Project type	Access	Deluxe
Bioclimatic	✓	✓
Drive	Manual	Motorised
Compatibility	pdv	seeglass, habitat, pdv
Max. dimensions	3500x4000mm	4700x6450mm
Island	✓	✓
Wall-mounted	✓	✓
Between walls	✓	✓
Multi-module	✓*	✓
Tests	Wind/Water/Snow	Wind/Water/Snow

*Only available in lenght



Best sellers

Designed to adapt to any project.
A selection of finishes designed to suit the most popular architectural styles:




WHITE



1013



7016 MATT



7016 TX



9011 MATT



8017



8014




7006



NATURA




ANODIS.
SILVER MATT



ANODIS.
INOX.



C3-1108



ANDALUSIAN
WALLNUT



SAPELY
MAHOGANY



GOLDEN
OAK



9007



7022 TX



7024 TX



Check availability, price and delivery times for other finishes, including RAL colours and wood-effect finishes.

The aluminium profiles used in the manufacture of these items comply with:

ALLOYS

Standard UNE EN 12020-1

Standard UNE-EN 573-3

Standard UNE-EN 755-2.

PAINTED SURFACE TREATMENT

The painted profiles are treated at authorized facilities for the coating of architectural surfaces, in accordance with the specifications of the Quality Mark Guidelines.

Tranquillity is also part of the design

Seesky neo comes with a 3-year warranty and meets the quality and safety requirements set out in the ISO 1090 standard and the CE marking. These certifications reflect C3 Systems, S.L.'s commitment to excellence and to rigorous control at every stage of the manufacturing process, as well as compliance with European standards.



3-year warranty*

Seesky NEO comes with a 3-year warranty on all components.

**(Please refer to the document in the customer area – B2B).*



Quality assurance in manufacturing and product safety for products from manufacturers in the metal sector, including those producing metal structures.



CE Marking

All our systems are certified by an official laboratory and comply with the European Commission's requirements for bearing the CE Marking. We hold all the test reports and certificates required to comply with this regulation and have a computer programme that makes it easier for workshops to obtain this label.



We have incorporated into our new facilities an advanced multi-metal powder coating plant, designed to apply high-quality finishes to aluminium profiles and other metal fittings. This system complies with the most stringent international standards, including Qualicoat, Qualicoat Seaside and Qualimarine.

Thanks to its flexible process architecture, this plant enables the surface treatment of different metals using customisable configurations with specific formulations. This versatility not only guarantees an excellent finish, but also expands our production capabilities and opens up new commercial opportunities.



Why should we use aluminum for the systems of the future?

FOR ITS ENVIRONMENTAL ADVANTAGE

It is the only material that is 100% recyclable and reusable infinitely reusable.

It is 100% sustainable and is effectively recycled. The high price of its scrap proves it.

The mineral with which it is produced is practically inexhaustible.

It is the only one that promotes a 100% circular economy.



MADE IN SPAIN



C3 Systems, S.L. · C/ Ibi, 13 · Polígono Industrial Cachapets
03330 Crevillente (Alicante) España
Telf. +34 966 286 186
c3systems@c3systems.es · www.c3systems.es



ED. 1 - 2026

The purpose of this document is for commercial purpose. It does not constitute an authentic advertising offer in "strict sense". For the official offer, please contact C3 Systems S.L. in order to receive specific and personalized information that contains objective information regarding relevant characteristics which means that it will constitute an offer in a "strict sense".

C3 Systems S.L. commits not to make misleading advertising by this means. To these effects, therefore, formal or numerical errors that could be found in the content of this document are not considered as misleading advertising, in particular regarding to the image accompanying in an illustrative way, and not contractual. In any case C3 Systems S.L. commits to correct it as soon as it becomes aware of such errors.